EXCEPTIONAL HYGIENE




GLASBORD®

Wall Panels with Surfaseal® Finish

Glasbord® with Surfaseal® is a unique solution that offers unsurpassed hygiene and high durability required in critical areas that demand high-performance finishes. Our unique Surfaseal® film equips our wall panel with the best hygienic performance combined with highest stain, impact and scratch resistance.







WHITE (85) SMOOTH



BLACK (15) EMBOSSED

product specs

AVAILABLE SIZES:

4' x 8' | 4' x 9' | 4' x 10' | 4' x 12' (other sizes available upon request)

THICKNESSES:

0.09" (embossed) | 0.075" (smooth)

FIRE RATINGS: **

Class A or Class C per ASTM E-84 FM Approved Available

** see technical data sheets for fire rating information by color option









ACCESSORIES:

Standard Polypropylene Moldings Polyurethane Seam Sealant Color Rite Color-Matched Silicone Caulk

unique surfaseal finish

The Surfaseal film finish, found only on Glasbord, provides a barrier that's highly resistant to impact and scratching. Because of our unique process, the Surfaseal finish will not trap soil or bacteria on the panel. The surface is up to 10 times easier to clean and up to six times more stain resistant than other sanitary wall systems.

APPLICATIONS:

- Commercial Kitchens
- Cleanrooms
- Restrooms
- Convenience Stores
- Locker Rooms
- Food Processing Plants
- · Indoor Agricultural Facilities

FEATURES:

- Mold + Mildew Free
- Meets USDA/FSIS Requirements
- Restrooms
- · Easy to Install
- Cleanable
- Durable

GLASBORD color + finish options PEBBLED EMBOSSED TEXTURE



SMOOTH TEXTURE



* AVAILABLE IN CLASS C PER ASTM E-84 AND CAN/ULC-S102 ONLY

Our unique Surfaseal finish

	GLASBORD. surfaseal	frp A	frp B	frp C	frp D
BEFORE STAINING 25X MAGNIFICATION					
AFTER STAINING 25X MAGNIFICATION					
AFTER STAINING 93X MAGNIFICATION					
	* //			•	

