

EXCEPTIONAL HYGIENE

HygiFill PU™



BLACK



Description

It is used in the field of aluminum window and door construction, for bonding corner joints (suitable for classic and injection bonding methods). With Structural, force-locking bonding of the most varying material combinations, e.g. in the field of vehicle body manufacture. Also used For bonding of Alu, HPL, GRP and other materials. It's also hard pointing of wall elements

Benefits

- UV colour retention
- tough-hard adhesive joint
- Solvent-free
- Thixotropic, does not drop o
- Good weather-proofness
- Can be over-coated with many paint systems
- Features easy handling of tandem cartridge with static mixer

 made
 in
 Germany



HygiFill PU™

Examples for Application

- In the field of aluminum window and door construction, for bonding corner joints (suitable for classic and injection bonding methods)
- Structural, force-locking bonding of the most varying material combinations, e.g. in the field of vehicle body manufacture
- For bonding of Alu, HPL, GRP and other materials
- Hard pointing of wall elements




Certificates / Test reports


ISEGA, Aschaffenburg Can be used in the foodstuffs-related sector, for example for the jointing and bonding of wall and floor areas in companies which are preparing and processing foodstuff. Certificate of Compliance No.: 48074 U 18

French VOC-Emission class A+



EXCEPTIONAL HYGIENE

 Saudi Arabia, P.O Box 53407,
Jeddah 21583 Al Khayyat Tower,
Office No. 230

 +966 12 66 333 18
 +966 12 66 332 38
 info@exceptionalco.com

 www.exceptionalco.com