


EXCEPTIONAL HYGIENE







ABC KERAMIK
BERENTELG



ABC FLOORING TILES

 *Quality made in Germany*

OBJEKTA HEAVY DUTY, HYGIENIC, ANTI-SLIP




SUBJECT TO CHANGE. FOR TECHNICAL REASONS THERE MAY BE COLOR VARIATIONS.



PRODUCT INFORMATION


R11
ASSESSMENT GROUP
UNGLAZED
DIN EN 14411
ANNEX AI



format no.	1100	1100/3	1100/5	1100/10	1120
description	tile	tile	tile	tile	on request
Format mm	240x115x10	240x115x13	240x115x15	240x115x18	240x115x20
1923 cream					
1924 beige					
1927 sand yellow					
1821 red					
1926 brown					
1925 grey					
m ² /lm per packet	0,727 m ²	0,576 m ²	0,515 m ²	0,424 m ²	0,364 m ²
piece/m ² /lm	33 pieces/m ²	33 pieces/m ²	33 pieces/m ²	33 pieces/m ²	33 pieces/m ²
kg/m ² /lm per piece	21 kg/m ²	27 kg/m ²	31,5 kg/m ²	38 kg/m ²	42 kg/m ²
piece per packet	24	19	17	14	12
packets per pallet	72	72	72	72	72
piece per pallet	1.728	1.368	1.224	1.008	864
m ² /lm per pallet	52,344 m ²	41,472 m ²	37,08 m ²	30,528 m ²	26,208 m ²
kg per pallet	1.099 kg	1.119 kg	1.165 kg	1.161 kg	1.100 kg

Product information

Also available in R12!



1100/3	1610	1640	1100	4823	4822	8817	4100	4003+4004	on request
Napped Profile	tile	tile	wall tile	balcony cover Profiled	balcony cover	skirting	cove base	inner and outer corner	inner and outer corner
240x115x13	240x240x12	310x310x12	240x115x10	240x115x52x12	240x115x52x12	240x75x12	240x96x10	120x96x10	
			white						
0,576 m ²	0,75 m ²	1 m ²	0,727 m ²	1,50 lm	1,50 lm	5,00 lm	4,00 lm	-	-
33 pieces/m ²	16 pieces/m ²	10 pieces/m ²	33 pieces/m ²	pieces/lm	pieces/lm	pieces/lm	pieces/lm	-	-
25 kg/m ²	26 kg/m ²	26 kg/m ²	19,5 kg/m ²	3,9 kg/lm	3,9 kg/lm	2 kg/lm	3,1 kg/lm	1 kg/pair	-
19	12	10	24	6	6	20	16	1 pair	-
72	60	42	72	90	90	96	72	-	-
1.368	720	420	1.728	540	540	1.920	1.152	-	-
41,472 m ²	45 m ²	4,20 m ²	52,344 m ²	135 lm	135 lm	480 lm	288 lm	-	-
1.037 kg	1.170 kg	1.092 kg	1.021 kg	527 kg	527 kg	960 kg	893 kg	-	-

Matching clinker straps or wall tile Piz Tasna in white available. **Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.**



Classification of the designation of the displacement space to the minimum volumes.

Anti-slip floor ceramics

Classification of the total mean values of the inclination angles to the evaluation groups of the slip resistance.

mean value	assessment group
from 6° and up to 10°	R 9
more than 10° and up to 19°	R 10
more than 19° and up to 27°	R 11
more than 27° and up to 35°	R 12
more than 35°	R13

Designation of the displacement space	Minimum volume of displacement space (cm ³ /dm ²)
V 4	4
V 6	6
V 8	8
V 10	10

product features


- Made in Germany
- heavy duty
- hygienic
- acid- and alcali-resistant
- dovetail backside for perfect connection with installation material
- unglazed
- production according to DIN EN 14411
- available in 10 to 18mm thickness
- 6 colours

application areas

- food processing industry
- commercial kitchens
- industrial- and commercial buildings
- traffic buildings
- warehouses
- swimming pools
- sports facilities
- internal and external use of residential and public buildings
- etc.

surfaces

nopped profile



R10



R11



 Quality made in Germany



ABC-Split Tiles – the original with the dovetail backside for a high adhesive tensile strength!



Requirements for ceramic floor coverings in wet barefoot areas

The groups A, B and C are evaluated according to DIN 51097.



The required slip resistance increases from A via B to C.

Load Group	Minimum slope angle
A	12°
B	18°
C	24°



ABC-Clean

ABC unglazed tiles series OBJEKTA is available with the ABC-Clean.

The special treatment makes the tiles very easy to clean and resistant to the formation of stains. The surface treatment takes place during the firing process so this effect remains permanently in the tile and they do look as new as the first day. An impregnation of the tiles after laying is not required.



Natural Extruded tiles at its best!





application areas

- indoor- and outdoor of private and commercial buildings
- traffic buildings
- restaurants and hotels
- educational facilities
- balconies and terraces
- swimming pools
- etc.



Natural Extruded tiles at its best!

R 12
unglazed
DIN EN 14411
Annex A1



format no.	1100	1610	1610/2	1640	3710	3720/2	3740	4830	4100
description	tile	tile	tile	tile	stair tread	stair tread	stair tread	stair tread with profile	cove base
Format mm	240x115x10	240x240x12	240x240x10	310x310x8	300x115x12	300x240x12	300x240x8	300x240x40x12	240x96x10
1001 Feuerland									
1002 Swiss									
1821 Malta									
1822 Nordkap									
1823 Lanzarote									
1825 Borkum									
m²/lm per packet	0,727 m ²	0,75 m ²	1,00 m ²	1,50 m ²	1,75 lm	2,00 lm	4,688 lm	1,00 lm	4,00 lm
piece/m²/lm	33 pieces/m ²	16 pieces/m ²	16 pieces/m ²	10 pieces/m ²	8 pieces/lm	4 pieces/lm	3,2 pieces/lm	4 pieces/lm	4 pieces/lm
kg/m²/lm per piece	21 kg/m ²	25 kg/m ²	21 kg/m ²	17 kg/m ²	8,8 kg/lm	8,1 kg/lm	5,1 kg/lm	9 kg/lm	2,8 kg/lm
piece per packet	24	12	16	15	14	8	15	4	16
packets per pallet	72	60	60	42	70	42	42	38	72
piece per pallet	1.728	720	960	360	980	336	630	152	1.152
m²/lm per pallet	52,344 m ²	45,0 m ²	60,00 m ²	63,00 m ²	122,5 lm	48 lm	196,88 lm	38 lm	288 lm
kg per pallet	1.099 kg	1.225 kg	1.260 kg	1.071 kg	1078 kg	389 kg	1.004 kg	342 kg	807 kg

Product information

4822	4823	4826	8817	4003	4404	9470	9411/8+9412/8	9471
balcony cover	balcony cover with profile	balcony cover with nose	skirting	inner corner	outer corner	Florentine tread	Florentine skirting	Florentine corner
240x115x52	240x115x52x12	240x115x52x12	240x75x12	120x96x10	345x240x10	345x240x14	130x75x12	345x345x12
1,50 lm	1,50 lm	1,50 lm	5,00 lm	-	-	1,00 lm	-	-
2 pieces/lm	4 pieces/lm	4 pieces/lm	4 pieces/lm	-	-	4 pieces/lm	-	-
3,9 kg/lm	3,9 kg/lm	3,9 kg/lm	2 kg/lm	1 kg/pair	1 kg/pair	12 kg/lm	0,1 kg/piece	4,8 kg/piece
6	6	6	20	1 pair	1 pair	4	4	1
90	90	90	96	-	-	48	-	-
540	540	540	1.920	-	-	192	-	-
135 lm	135 lm	135 lm	480 lm	-	-	48 lm	-	-
527 kg	527 kg	527 kg	960 kg	-	-	576 kg	-	-

Fugen./Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.

Antik

R10 glazed



shell white



copper



manganese



sandstone




bronze

R11 unglazed



Salzburg



Kitzbühl

application areas

- indoor- and outdoor of private and commercial buildings
- traffic buildings
- restaurants and hotels
- educational facilities
- balconies and terrasses
- swimming pools
- etc.



SUBJECT TO CHANGE. FOR TECHNICAL REASONS THERE MAY BE COLOR VARIATIONS.


Product information

DIN EN 14411

Annex A1

glazed

abrasion group 4




format no.	1610	1640	3720	3740	8830	8817	9460	9470	9471	9413
description	tile	tile	stair tread	stair tread	Sockelleiste skirting	skirting	Florentine tread	Florentine tread	Florentine corner	Florentine skirting
Format mm	240x240x10	310x310x8	300x240x10	300x310x8	310x75x8	240x75x12	335x310x10	335x240x10	335x335x10	310x75x8
1207 Salzburg										
1208 Kitzbühl										
1706 shell white										
1701 sandstone										
1702 copper										
1704 bronze										
1707 manganese										
m ² /lm per packet	1,00 m ²	1,5 m ²	4 lm	4,68 m ²	8,75 lm · rm	5 lm	1,88 lm	1,50 lm	-	-
piece/m ² /lm	16 pieces/m ²	10 pieces/m ²	4 pieces/lm	3,2 pieces/lm	3,2 pieces/lm	4 pieces/lm	3,2 pieces/lm	4 pieces/lm	-	-
kg/m ² /lm per piece	21 kg/m ²	17 kg/m ²	6,4 kg/lm	5,1 kg/lm	1,2 kg/lm	2 kg/lm	8,7 kg/lm	7,3 kg/lm	3,9 kg/piece	0,4 kg/piece
piece per packet	16	15	16	15	28	20	6	6	1	4
packets per pallet	60	42	51	42	100	96	24	32	-	-
piece per pallet	960	630	816	630	2800	1.920	144	192	-	-
m ² /lm per pallet	60 m ²	63 m ²	204 lm	196,88 lm	45 lm	480 lm	45 lm	48 lm	-	-
kg per pallet	1.260 kg	1.071 kg	1.306 kg	1.004 kg	1.050 kg	960 kg	390 kg	350 kg	-	-

Weitere Formate und Stärken auf Anfrage. Alle Mengenangaben pro m²/lm sind inkl. Fugen./Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.


Smart




Beige




Greige



grey



mocha





anthracite

Anwendungsgebiete application areas


- Aesthetically superior design of commercial buildings as
- banks, hotels, lobbies, business premises
 - indoor and outdoor of public and private buildings
 - etc.

R 10
assessment group
glazed
DIN EN 14411
Annex A1
abrasion group 4



format no.	1515	2020	3030
description	tile	tile	tile
Format mm	150x150x8	200x200x8	300x300x8
Beige			
Greige			
grey			
anthracite			
mocha			
m ² /lm per packet	1,539 m ²	0,96 m ²	1,5 m ²
piece/m ² /lm	39 pieces/m ²	23 pieces/m ²	10 pieces/m ²
kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	17 kg/m ²
piece per packet	60	22	15
packets per pallet	42	96	42
piece per pallet	2.520	2.112	630
m ² /lm per pallet	64,638 m ²	92,16 m ²	63 m ²
kg per pallet	1.099 kg	1.567 kg	1.071 kg



Product information



9460	9471	8835	9413	4922
Florentine tread	Florentine corner	skirting	Florentine skirting	balcony cover with nose
335x310x10	335x335x10	310x75x8	310x75x8	310x115x52x10
1,88 lm	-	6,25 m ²	-	1,88 lm
3,2 pieces/lm	-	3,2 pieces/lm	-	3,2 pieces/lm
8,6 kg/lm	3,9 kg/piece	1,2 kg/lm	0,4 kg/piece	3,1 kg/lm
6	1	20	4	6
24	-	126	-	60
144	-	2.520	-	360
45 lm	-	875 lm	-	112,50 lm
390 kg	-	945 kg	-	350 kg

Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.

Urban



SUBJECT TO CHANGE. FOR TECHNICAL REASONS THERE MAY BE COLOR VARIATIONS.




application areas



- Stylish design of commercial buildings as
- banks, hotels, lobbies, business premises
 - educational facilities
 - indoor and outdoor of public and private buildings
 - etc.



Product information




R 10
assessment group
glazed
DIN EN 14411
Annex A1
abrasion group 4



format no.	1640	3147	8835	9460	9471	9413
description	tile	tile	skirting	Florentine tread	Florentine corner	Florentine skirting
Format mm	310x310x8	310x470x8	310x75x8	335x310x10	335x335x10	310x75x8
2005 light grey						
2006 slate grey						
m ² /rm per packet	1,50 m ²	1,23 m ²	6,25 lm	1,88 lm	-	-
piece/m ² /rm	10 pieces/m ²	6,5 pieces/m ²	3,2 pieces/lm	3,2 pieces/lm	-	-
kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	1,2 kg/lm	8,64 kg/lm	3,9 kg/Stück kg/piece	0,4 kg/Stück kg/piece
piece per packet	15	8	20	6	1	4
packets per pallet	42	36	126	24	-	-
piece per pallet	360	288	2.520	144	-	-
m ² /lm per pallet	63 m ²	44,28 m ²	787,50 lm	45 lm	-	-
kg per pallet	1.071 kg	863 kg	945 kg	390 kg	-	-


Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.

Classic



Product information

R 10
Bewertungsgruppe
assessment group
glasiert · glazed
DIN EN 14411
Annex A1
Abriebgruppe 4
abrasion group 4



Format Nr. format no.	1100	1610	1640
Bezeichnung description	Bodenfliese tile	Bodenfliese tile	Bodenfliese tile
Format mm	240x115x10	240x240x10	310x310x8
1474 Santorin			
1453 Beige · beige			
1452 Grau · grey			
1659 Piz Kesch			
m ² /lm pro Paket m ² /lm per packet	0,27 m ²	1,00 m ²	1,50 m ²
Stück/m ² /lm piece/m ² /lm	33 Stück/m ² pieces/m ²	16 Stück/m ² pieces/m ²	10 Stück/m ² pieces/m ²
kg/m ² /lm pro Stück kg/m ² /lm per piece	21 kg/m ²	21 kg/m ²	17 kg/m ²
Stück pro Paket piece per packet	24	16	15
Pakete pro Palette packets per pallet	72	60	42
Stück pro Palette piece per pallet	1.728	960	360
m ² /lm pro Palette m ² /lm per palett	52,344 m ²	60 m ²	63 m ²
kg pro Palette kg per pallet	1.104 kg	1.260 kg	1.071 kg

application areas

- commercial buildings
- lobbies
- restaurants and hotels
- educational facilities
- etc.



SUBJECT TO CHANGE. FOR TECHNICAL REASONS THERE MAY BE COLOR VARIATIONS.

Product information

88172	8835	4826	4922	3740	9470	9460	9471	9413
skirting	skirting	balcony cover with nose	balcony cover with nose	stair tread	Florentine tread	Florentine tread	Florentine corner	Florentine skirting
240x75x10	310x75x8	240x115x52x10	310x115x52x10	300x310x8	335x240x10	335x310x10	335x335x10	310x75x8
7,00 lm	8,75 lm	1,50 lm	1,875 lm	4,69 lm	1,50 lm	1,88 lm	-	-
4 pieces/lm	3,2 pieces/lm	4 pieces/lm	3,2 pieces/lm	3,2 pieces/lm	4 pieces/lm	3,2 pieces/lm	-	-
1,5 kg/lm	1,2 kg/ lm	1,5 kg/ lm	3,1 kg/ lm	5,1 kg/lm	7,32 kg/lm	8,64 kg/lm	3,9 kg/piece	0,4 kg/piece
28	28	28	6	15	6	6	1	4
120	100	90	60	42	32	24	-	-
3.360	2800	540	360	630	192	144	-	-
840 lm	875 lm	135 lm	112,50 lm	196,88 lm	48 lm	45 lm	-	-
1.008 kg	1.050 kg	527 kg	350 kg	1.004 kg	350 kg	390 kg	-	-

Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.


Trend




white



blue




light grey



dark grey

Product information

R 10
assessment group
glazed
DIN EN 14411
Annex A1
abrasion group 4



format no.	1010	2020	3030
description	tile	tile	tile
Format mm	100x100x8	200x200x8	300x300x8
1485 white			
1480 light grey			
1482 blue			
1481 dark grey			
m ² /lm per packet	1,63 m ²	0,96 m ²	1,5 m ²
piece/m ² /lm	83 pieces/m ²	23 pieces/m ²	10 pieces/m ²
kg/m ² /lm per piece	17 kg/m ²	17 kg/m ²	17 kg/m ²
piece per packet	135	22	15
packets per pallet	42	69	42
piece per pallet	5.670	1.518	630
m ² /lm per palett	68,46 m ²	66,24 m ²	63 m ²
kg per pallet	1.164 kg	1.026 kg	1.071 kg















application areas

- commercial buildings
- lobbies
- restaurants and hotels
- educational facilities
- etc.



SUBJECT TO CHANGE. FOR TECHNICAL REASONS THERE MAY BE COLOR VARIATIONS.

Product information

						
3740	8835	9999	4922	9480	9413	9481
stair tread	skirting	inlays precut	balcony cover with nose	Modena tread	Modena skirting applicable left/right	inner and outer corner
300x310x8	310x75x8	99x99x8	310x115x52x10	345x310x10	300x310x8	345x345x10
						
4,68 m ²	6,25 m ²	1,50 lm	1,88 lm	1,88 lm	-	-
3,2 Stück/lm pieces/lm	3,2 Stück/m ² pieces/m ²	90 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	3,2 Stück/lm pieces/lm	-	-
5,1 kg/lm	1,2 kg/lm	17,0 kg/m ²	3,1 kg/lm	8,64 kg/lm	0,04 kg/lm · rm	3,9 kg/Paar kg/pair
15	20	135	6	6	4	1
42	126	42	60	24	-	-
630	2.520	5.670	360	144	-	-
196,88 lm	787,50 lm	63 lm	112,50 lm	45 lm	-	-
1.004 kg	945 kg	1.071 kg	350 kg	390 kg	-	-

Other formats and thicknesses on request. All quantities per m²/lm are incl. joints.



product features



Frostbeständig
frost-resistant



Witterungsbeständig
weatherproof



Rutschhemmend
anti-slip



Umweltschonend
environmentally friendly



Brandverhalten: Euroklasse A1
fire behavior: euroclass A1



Säure- und Laugenbeständig
acid- and alkali-resistant



geringe Wasseraufnahme
low water absorption



Leicht zu reinigen
easy to clean



Schmutzunempfindlich
insensitive to dirt



Farbbeständig
colourfast



Chemisch neutral
chemically neutral



Produktion gemäß DIN EN 14411
production according to DIN EN 14411



Geruchsneutral
odourless



Hohe Belastbarkeit
high load capacity



Zertifizierte Qualität
certified quality



Hohe Biegefestigkeit
high bending strength



Hygienisch
hygienic



Fleckenschutz
anti-stain protection



Quality made in Germany





1. General, validity

The following conditions are an integral part of all agreed sales of ABC-Klinker Group products, especially brick products (hereinafter “goods”). This also applies if we do not expressly refer to them in later agreements, unless the contractual partner (hereinafter also referred to as the “Purchaser”) is a consumer in accordance with Section 13 of BGB (German Civil Law). General Sales Conditions or other General Terms and Conditions imposed by the Purchaser shall not apply to us. These General Conditions for Supply and Payment apply to all sales by the ABC Klinker Group companies listed in Annex 1 (hereinafter also referred to as the “Vendor”).

2. Quotations

2.1 Our quotations are non-binding unless otherwise agreed and delivery has been made. The Purchaser alone is responsible for the correct selection and quantity.

2.2 Technical data and descriptions in the respective product information or advertising material do not represent a guarantee of the quality or durability of the goods supplied by us.

2.3 Brick products are manufactured in a natural baking process. Deviations, changes or tolerances caused by this – with the exception of incorrect deliveries – do not represent a deviation from the agreed and customary quality, provided that they comply with the DIN standard.

No claim for defects shall exist if the goods supplied are suitable for the use stipulated in the contract or for normal use, and they are of a quality normal for a product of this type and which the Purchaser can expect from this type of goods. No claim for defects shall exist if there are only minor deviations from the agreed quality.

3. Delivery and acceptance

3.1 Delivery occurs upon collection of the goods from the factory, or at the agreed place; if this is subsequently changed at the request of the Purchaser, the Purchaser shall bear all the costs incurred.

3.2 Binding delivery dates require an explicit written agreement.

3.3 The Vendor shall not be liable to any company for the impossibility of delivery or for delays in delivery if these are caused by force majeure or other events unforeseeable at the time of conclusion of the agreement (e.g. operational malfunctions of any kind, difficulties with the supply of materials or energy, transport delays, strikes, legal lockouts, lack of manpower, energy or raw materials, difficulties in acquiring necessary official permits, official sanctions, or missing, incorrect or non-timely deliveries from suppliers), for which the Vendor is not responsible. If such events significantly impede delivery or service by the Vendor, or make this impossible, and the impediment is not only of temporary duration, the Vendor shall be entitled to withdraw from the agreement. In the event of impediments of a temporary duration, the deadline for delivery or performance of service to companies shall be extended by the period of the impediment plus an appropriate lead time. If the business client cannot reasonably be expected to accept the delivery or service as a result of the delay, he may withdraw from the agreement by means of immediate written notification to the Vendor.

Our deliveries and services to consumers shall take place as quickly as possible, at the latest within a period of approximately four weeks, provided no fixed deadline or date is agreed. If we fail to meet a delivery date agreed with consumers, the Purchaser shall set an appropriate extension of time, which may in no case be less than two weeks. We shall inform the Purchaser immediately in the event of difficulties or delays in delivery.

3.4 The Purchaser shall be liable in the event of incorrect or incomplete information provided when placing an order. When delivering to the agreed place, the vehicle must be able to access and leave this without any danger. This supposes that the surface is sufficiently solid for a heavy lorry to access it unobstructed. If this condition is not met, the Purchaser shall be liable for all resulting damage unless the Purchaser is not responsible for the non-existence of these conditions; registered businesses shall bear responsibility regardless. If the Purchaser is a registered business, the person signing the delivery note shall be considered by us to be authorised to accept the goods and confirm receipt unless, due to specific circumstances, we may not assume that the person signing has the authority to receive goods.

3.5 If acceptance is refused, late, delayed or otherwise improper, the Purchaser is obliged, irrespective of this, to compensate with payment of the purchase price, unless he is not responsible for the refusal, lateness, delay or other improper circumstances of acceptance; in the event that they collect the goods from the factory, registered businesses shall bear responsibility regardless. Multiple purchasers shall bear joint liability for proper acceptance of the goods and payment of the purchase price. We shall provide the goods or services to each of these with effect for and against every one.

3.6 Packaging provided by us shall be taken back to our business premises in accordance with the statutory obligations provided it is empty of residue and not dirty, and delivered sorted by the Purchaser or at his expense.

4. Transfer of risk

4.1 If, at the Purchaser's request, the goods are shipped to a place other than the place of fulfilment, and if the Purchaser is a registered business, the risk of accidental loss of the goods shall be transferred to the Purchaser at the time the goods are handed over to the carrier, but no later than the time the goods leave the factory, regardless of whether dispatch is carried out from the place of performance and who bears the cost of shipment, whether shipment is made using external transport or our own vehicles.

4.2 When goods are collected from the factory, the risk of accidental loss and of accidental degradation of the goods shall be transferred to the Purchaser at the time their vehicle leaves our factory site. In the case of delivery to an address outside the factory, this risk shall be transferred to the Purchaser as soon as the vehicle arrives at the place of delivery, but no later than it leaves the public road in order to drive onto the agreed place of delivery.

5. Cost increases, terms of payment

5.1 If, between issue of our quotation and delivery, our costs for energy, transport and/or wages increase, we shall be entitled, irrespective of the quotation and confirmation of the order, to adjust our selling price in accordance with the change in costs; this does not apply to deliveries to a consumer which, except in cases of long-term debt, are to be performed within four months of conclusion of the agreement. If this adjustment results in an increase in the nett selling price of more than 10%, the Purchaser is entitled to withdraw from the agreement.

5.2 Unless otherwise agreed in writing, our invoices shall be payable immediately, and no later than 30 days after the invoice date, without any deductions. Should the Purchaser fail to pay on time, we shall be entitled to charge interest for late payment of at least 5% over the base interest rate at that time; in the case of registered businesses, we shall be entitled to charge interest for late payment of at least 9% over the base interest rate at the time. Assertion of further damages in this case remains unaffected.

5.3 If the Purchaser is a registered business, he shall relinquish the right to make any claim to right of retention, unless the claim by the Purchaser on which the right of retention is supported is not disputed by us, is acknowledged or has been legally established.

6. Notification of defects, claims for defects

6.1 The Purchaser shall report any obvious defects of any form whatsoever immediately upon receipt of the goods. In this case, the Purchaser shall leave the goods untouched in order that we can inspect them. Defects that are not obvious, of any form whatsoever, must be reported by the Purchaser immediately after their discovery, but no later than one year after their delivery; this does not apply to defects for which Section 438 para. 1 no. 2 b of BGB apply. Complaints made verbally or by telephone must be confirmed in writing. In the event that complaints are not made properly or in good time, the goods shall be deemed to have been accepted.

6.2 The Purchaser is initially entitled to demand rectification of a defect. If the Purchaser is a registered business, we shall only provide rectification in the form of delivery of a defect-free item. If rectification fails, the Purchaser is entitled, at his discretion, to reduce the purchase price or to withdraw from the agreement. The provisions of clause 8 apply to claims for damages.

6.3 Claims for damages by registered businesses shall lapse one year after delivery of the goods; this does not apply to claims for damages in accordance with Section 438 para. 1 no. 2 b of BGB, unless the damage is a result of a deliberate or grossly negligent breach of duty by us or by our legal representative or vicarious agent, or the damage consists of injury to life, limb or health, or we have maliciously concealed the damage.

7. Security interests

7.1 Goods delivered shall remain our property until payment of the full purchase price has been made. If the Purchaser is a registered business, goods delivered shall remain our property until payment of all claims that we have against the Purchaser. The Purchaser may neither pledge our goods nor assign them as security, but he may resell or process them in the normal course of business, unless he has already effectively assigned the claim against a contractual partner to a third party in advance or agreed a prohibition of assignment with a contractual partner.

7.2 Any processing of our goods by the Purchaser to form a new moveable property shall be carried out on our behalf for our benefit without giving rise to any liability on our part. If the goods delivered by us are processed with other objects which do not belong to us, we shall acquire co-ownership of the new object in proportion to the ratio of the value of our goods (7.9) to the value of the other processed goods at the time of processing. In the event that the Purchaser acquires sole or co-ownership of a new unified object through connection, mixture or amalgamation of our goods with other moveable objects, he shall at this point transfer to us, as security for fulfilment of the claims listed in clause 7.1 sentence 2, the right of ownership in proportion to the ratio of the value of our goods (7.9) to the value of the other objects. We shall retain co-ownership until our claims have been fulfilled in full in accordance with clause 7.1 sentence 2.

7.3 In order to secure fulfilment of our claims in accordance with clause 7.1 sentence 2, the Purchaser also hereby assigns to us all claims arising in the future from the resale of our goods and all subsidiary rights in the amount of the value of our goods (7.9), with priority over the remaining portion of his claims. We hereby assume declaration of assignment by the Purchaser.

7.4 In the event that the Purchaser sells our goods together with other goods not belonging to us or new objects produced from our goods or our goods with a piece of land belonging to a third-party, or connects, mixes or amalgamates it with a moveable object belonging to a third party, and he acquires a claim for this which also covers his other services, he shall at this point assign to us, as security for fulfilment of our claims in accordance with clause 7.1 sentence 2, this claim with all subsidiary rights in the amount of the value of our goods (7.9), with priority over the remaining portion of his claims. The same applies to the same extent to any right on his part to grant security interests in accordance with Sections 648 and 648 a of BGB due to his processing of our goods for and in the amount of our total outstanding claims. We hereby assume declaration of assignment by the Purchaser. Upon our request, the Purchaser shall provide proof of these individual claims and shall inform subsequent purchasers of the assignment, and instruct them to make payment to us of an amount corresponding to the claims in accordance with clause 7.1 sentence 2. We shall also be entitled to inform subsequent purchasers of the assignment ourselves and to collect the claims. In the meantime we shall not make use of the rights in accordance with sentences 4 and 5 of this paragraph and shall not collect the claims provided the Purchaser properly fulfils his payment obligations.

7.5 The Purchaser may neither assign nor pledge to third parties his claims against subsequent purchasers in the amount of the value of our goods (7.9), nor agree to a prohibition of assignment with subsequent purchasers.

7.6 The Purchaser shall store all objects of which we are owner or co-owner with the diligence of a prudent businessman and at no charge. The Purchaser shall inform us immediately of any attachment or any other impairment of our rights by third parties. He shall hand over to us any documents necessary for an intervention and shall pay any costs incurred by us as a result of intervention, provided that these cannot be recovered from third parties.

7.7 In the case of current invoices, our security shall be deemed to be security for fulfilment of our outstanding balance claims.

7.8 The “value of our goods” for the purpose of this clause 7 is the total amount of the purchase price indicated in our invoice (including VAT).

7.9 At the Purchaser’s request, we shall release the securities to which we are entitled to the extent that their value exceeds our claims by 10%.

8. Claims for damages

Claims for damages by the Purchaser, especially due to breaches of contractual obligations, misconduct during contractual negotiations, or non-contractual liability, are excluded provided that the damage is not a result of deliberate or grossly negligent breach of duty by us or our legal representative or vicarious agents, or caused by breach of an obligation fundamental to the agreement or by a defect maliciously concealed by us, and the damage does not consist of injury to life, limb or health. In the event of breach of an obligation fundamental to the agreement where the negligence is ordinary or minor we shall not be liable for damage that was not foreseeable at the time of conclusion of the agreement. Liability in accordance with product liability law shall remain unaffected thereby.

9. Applicable law, place of jurisdiction, partial invalidity

If the Purchaser is a registered business, the place of fulfilment for delivery is our supplying factory. The place of fulfilment for payment is the head office of our sales company if we operate one, otherwise it is the location of our head office.

The place of jurisdiction for all legal disputes arising from the contractual relationship and those arising from the creation and validity of the agreement (also for disputes regarding bills of exchange and cheques) with registered businesses is our administrative headquarters, or at our discretion the location of our delivery factory or our sales company.

The location in accordance with para.1 is also the place of jurisdiction if the Purchaser has no place of general jurisdiction in Germany, relocates his domicile or permanent address away from Germany after conclusion of the agreement, or his domicile is not known at the time proceedings are initiated. If our head office in accordance with paras. 1 and 2 is the place of jurisdiction, we are also entitled to file a suit against the Purchaser at this place of jurisdiction.

The laws of the Federal Republic of Germany shall apply exclusively to these General Conditions for Supply and Payment, and to the entire legal relationship between the Vendor and the Purchaser, to the exclusion of the provisions of the UN Convention on the Sale of Goods.

Should any provision in these General Conditions for Supply and Payment or any provision in other agreements be or become invalid, this shall not affect any of the other provisions or agreements.

ABC-product range



floor ceramics



clay pavers



brick strips



roof tiles







ABC-NORDIC
Ceramic system for facade and roof



facing bricks

EXCEPTIONAL HYGIENE

 Saudi Arabia, P.O Box 53407,
Jeddah 21583 Al Khayat Tower,
Office No. 230

 +966 12 66 333 18
 +966 12 66 332 38
 info@exceptionalco.com

 www.exceptionalco.com